PARKE-BRUDBAL WITH LOVE



Over 100 Air-India offices to serve you throughout the five continents.

Abu Dhabi Accra Addis Ababa Adelaide Aden Ahmedabad Alexandria Amsterdam Athens Auckland Baghdad Bahrain Banaras Bangalore Bangkok Barcelona Baroda Beirut Belgrade Berlin (West) Bhopal Birmingham Bombay Brisbane Brussels Budapest Cairo Calcutta Cardiff Chandigarh Chicago Christchurch Cleveland Cochin Coimbatore Cologne Colombo Copen hagen Dallas Dar-Es-Salaam Delhi Detroit Dhahran Dubai Durgapur Dusseldorf Frankfurt Geneva Glasgow Goa Hamburg Hong Kong Hyderabad Indore Jaipur Jakarta Jamshedpul Jullundur Kampala Entebbe Kanpur Kathmandu Kuala Lumpui Kuwait Lagos Las Palmas Leeds London Los Angeles Lucknow Ludhiana Lusaka Madras Madrid Madurai Manchester Manila Mauritius Melbourne Mexico City Miami Milan Moscow Munich Nagova Nagour Nairobi Nandi New York Nice Nuremberg Osaka Paris Patna Perth Philadelphia Poona Port of Spain Prague Rome Rotterdam Rourkela Salisbury San Francisco Seattle Singapore Southall Srinagar Stockholm Stuttgart Surat Suva Sydney Teheran Tokyo Toronto Warsaw Washington Wellington Zürich

Contact your Forwarding Agent or nearest Air-India office.

To us, a package is just a <u>very</u> quiet person

We lavish care on it. Specially if it doesn't like travelling. Make sure it gets off at the right place. Properly dressed. And heading in the right direction.

Now that we have our beautiful Love Machines - the 747s - our capacity is enormously increased. And the container/pallet system gives you even more security, flexibility and speed.


We have lots of regulars already. Who started off, often enough, as emergencies - because for once their regular carrier couldn't cope.

That's all we need. Just one chance to prove ourselves.

And we're just as gentle with people as we are with packages.

Relationships are fragile, too.





Lovingly wrapped

There are two standard types of packaging aboard the 747.
The container - and the good old pallet.

How to save money

Pack your own IATA registered container or pallet and we'll give you a discount. We can also deliver you an empty one-giving you 48 hours to fill every nook and cranny. The more carefully you do this, incidentally, the more money you save.

Another advantage - we can supply to you a container which can be locked and Custom-sealed when necessary.

For more details, please contact your forwarding agent.

92"233 cm

10 CODE A 0001AI


B 08.91

Usable Volumes
Pallet 10.16 m3
Container 4.89 m3

Floor Limits

Pallet 1750 kg a m2

Container 976 kg a m2



The versatile variations

Every cargo is slightly different. Some are incredibly, unnervingly different, but why should we bore you with our sorrows?

The point is, with the possible combinations of standard container standard pallet, unorthodox pallet and large brown-paper parcels, you can work out loads of cargo which have all the complexity of three-dimensional solitaire.

You can have all containers. Or a mixture of container and pallet. Or it could be mostly pallet. Or it could be a most peculiar shape.

We don't mind. We're an adaptable people. If you do have a really funny shape - pallet or parcelwise, we promise not to laugh. (In private, we may cry a little.)


How bulky can you get?

We can cope with just about any size. The tables below show the tremendous capacity and access Direct Access
Maximum dimensions per unit. ibility of our bulk cargo hold.

Floor Limit 732 kg a m2

			Lengt	:h	4								Centimeters		
	ontal Loading heavy units) H	120 110 100 50-96 10-48	414 432 465 472 488	409 427 460 467 467	404 422 455 462 462	391 414 449 457 457	376 404 445 452 452	356 384 439 432 432	343 368 412 419 419	330 356 396 401 401	320 343 371 391 391	315 335 366 381 386	307 328 358 376 384		
			10	20	30	41	51	61	71	81	91	102	112 Width		
	Looding		Leng	yth								Cen	timeters		
nit	ngle Loading (for light units)	173 163 152 142 132 112 102 102 91 81 71 61 51 41 20 20 41	34 36 38 40 40 41 43 46 47 47 47 47 48 48 48	6 343 4 363 1 389 4 400 4 600 4 600	3 343 3 356 3 356 1 379 4 04 7 422 0 455 7 462 7 462	343 366 391 414 450 457 457 457 457 457 462 462 462	343 376 404 445 452 452 452 452 457 462 467	356 384 439 434 434 434 452 457 462 467	343 368 412 419 419 434 452 457 462 467	330 356 396 401 419 434 452 457 462 467 472	320 343 371 391 401 434 452 457 462 467 472	318 335 366 381 381 381 386 386 386 386	305 328 358 376 376 376 376 384 384 384		
m2			1	0 2	0 30	41	51	61	71	81	91	102	112 Width	1	

Indirect Access (via aft compartment door) Maximum dimensions per unit.



Direct Access
Maximum dimensions per unit.

Horizontal Loading		Length							9. 5			Inches
(for heavy units)	47 43 39 20-38 4-19	170 1 183 1 186 1	68 1 81 1 84 1	66 79 82	163 177 180	148 159 175 178 178	140 151 173 171 171	135 145 162 165 165	130 140 156 158 158	126 135 146 154 154	124 132 144 150 152	121 129 141 148 151
		4	8	12	16	20	24	28	32	36	40	44 Width
Angle Loading		Leng	th									Inches
(for light units)	68 64 60 56 52 48 44 40 36 32 28 24 20 11 11 12 8 4	135 144 151 158 159 163 170 183 186 186 186 186 192 192 192	135 145 158 158 161 168 181 184 184 184 184 184 184 184 192	135 140 149 159 166 179 182 182 182 182 182 182 182 182	135 144 154 163 177 180 180 180 180 180 182 184 192	135 148 159 175 178 178 178 178 180 182 184 186	140 151 173 171 171 171 171 178 180 182 184 186	135 145 162 165 165 171 178 180 182 184 186	130 140 156 158 158 165 171 178 180 182 184 186	126 135 146 154 158 165 171 178 180 182 184 186	125 132 144 150 150 150 150 152 152 152 40	120 129 141 148 148 148 148 151 151 151 151 44 Width

Indirect Access (via aft compartment door) Maximum dimensions per unit.

						And	gle Loading	Length			1	Inches
Horizontal Loading (for heavy units)	Lengt	h				(for light units)		211	178 185	150 158 162	130 135 140 144	8 4
55 50 45 40 40 45 535		202 211	171 178 185	145 150 158 162	125 130 135 140 144	125 125 125 125 125 125	30 25 20 15 10 5	211 211 211 211 211 211	185 185 185 185 185 185	162 162 162 162 162 162	144 144 144 144 144	158 158
	60	70	80	90	100	104 Width		70	80	90	100	110 Width

